


MODULINE



Specifications

- White or black electrostatic powder coated aluminium extrusion body
- SMD Mid Power LED light source
- Opal PC diffuser
- On-Off control system
- Option: 1-3 hours emergency kit
- SDCM ≤ 3 (3-step Mac Adam)
- CRI 80+
- 5 Year Warranty



CODE	DIMENSIONS	WATTAGE	LUMEN OUTPUT	LUMEN PER WATT	CRI	COLOUR TEMP
MODULINE-14W	57x310 mm	14W	1540LM	110	80	3000K-6500K
MODULINE-18W	57x380 mm	18W	1980LM	110	80	3000K-6500K
MODULINE-22W	57x450 mm	22W	2420LM	110	80	3000K-6500K
MODULINE-28W	57x600 mm	28W	3080LM	110	80	3000K-6500K
MODULINE-32W	57x680 mm	32W	3520LM	110	80	3000K-6500K
MODULINE-36W	57x750 mm	36W	3960LM	110	80	3000K-6500K
MODULINE-42W	57x900 mm	42W	4620LM	110	80	3000K-6500K
MODULINE-46W	57x970 mm	46W	5060LM	110	80	3000K-6500K
MODULINE-52W	57x1120 mm	52W	5720LM	110	80	3000K-6500K
MODULINE-56W	57x1190 mm	56W	6160LM	110	80	3000K-6500K
MODULINE-60W	57x1260 mm	60W	6600LM	110	80	3000K-6500K
MODULINE-66W	57x1410 mm	66W	7260LM	110	80	3000K-6500K
MODULINE-70W	57x1490 mm	70W	7700LM	110	80	3000K-6500K
MODULINE-86W	57x1780 mm	86W	9460LM	110	80	3000K-6500K

MODULINE

BLIND PART

Technical description


- > White or black electrostatic powder coated aluminium extrusion body



TECHNICAL DATA

Code	Dimensions ØxH (mm)
310MODBP	Ø57mm x L:310mm
380MODBP	Ø57mm x L:380mm
450MODBP	Ø57mm x L:450mm
600MODBP	Ø57mm x L:600mm
680MODBP	Ø57mm x L:680mm
750MODBP	Ø57mm x L:750mm
900MODBP	Ø57mm x L:900mm
970MODBP	Ø57mm x L:970mm
1120MODBP	Ø57mm x L:1120mm
1190MODBP	Ø57mm x L:1190mm
1260MODBP	Ø57mm x L:1260mm
1410MODBP	Ø57mm x L:1410mm
1490MODBP	Ø57mm x L:1490mm
1780MODBP	Ø57mm x L:1780mm

TECHNICAL DRAWING



MODULINE

MONO-PHASE TRACK

Technical description


- > White or black electrostatic powder coated aluminium extrusion body
- > Mono-phase universal track



TECHNICAL DATA

Code	Dimensions ØxH (mm)
310MODPT	Ø57mm x L:310mm
380MODPT	Ø57mm x L:380mm
450MODPT	Ø57mm x L:450mm
600MODPT	Ø57mm x L:600mm
680MODPT	Ø57mm x L:680mm
750MODPT	Ø57mm x L:750mm
900MODPT	Ø57mm x L:900mm
970MODPT	Ø57mm x L:970mm
1120MODPT	Ø57mm x L:1120mm
1190MODPT	Ø57mm x L:1190mm
1260MODPT	Ø57mm x L:1260mm
1410MODPT	Ø57mm x L:1410mm
1490MODPT	Ø57mm x L:1490mm
1780MODPT	Ø57mm x L:1780mm

TECHNICAL DRAWING



MODULINE

ACCESSORIES


Technical description

> White or black electrostatic powder coated
aluminium extrusion body




ENERGY INPUT

Code:
100MDL-EP




END CAP

Code:
100MDL-EC





MIDDLE CONNECTOR

Code:
100MDL-MC




X CONNECTOR




Code:
320MDL-XC

L CONNECTOR



Code:
190MDL-LC

T CONNECTOR



Code:
320MDL-TC